

For Office Use Only
Permit No. _____
Date _____

Town of Nahant

AFFIDAVIT
Home Improvement Contractor Law
Supplement to Permit Application

MGL c. 142A requires that the "reconstruction, alteration, renovation, repair, modernization, conversion, improvement, removal, demolition, or construction of an addition to any pre-existing owner-occupied building containing at least one but not more than four dwelling units... or to structures which are adjacent to such residence or building" be done by registered contractors, with certain exceptions, along with other requirements.

Type of work: _____ Est. Cost \$ _____

Address of Work: _____

Owner Name: _____

Date of Permit Application: _____

I hereby certify that:

Registration is not required for the following reason(s):

- ____ Work excluded by law
- ____ Job under \$1,000
- ____ Building not owner-occupied
- ____ Owner pulling own permit
- ____ Other (specify) _____

Notice is hereby given that:

OWNER PULLING THEIR OWN PERMIT OR DELAING WITH UNREGISTERED CONTRACTORS FOR APPLICABLE HOME IMPROVEMENT WORK DO NOT HAVE ACCESS TO THE ARBITRATION PROGRAM OR GUARANTY FUND UNDER MGL c. 142A.

Signed under penalties and perjury:

I hereby apply for a permit as the agent of the owner:

Date Contractor Name Registration No.

OR:

Notwithstanding the above notice, I hereby apply for a permit as the owner of the above property:

Date Owner Name

ENERGY CONSERVATION APPLICATION FORM FOR LOW-RISE RESIDENTIAL NEW CONSTRUCTION

Applicant Name: _____
 Applicant Address: _____

 Applicant Phone: _____

Site Address: _____
 City/Town: _____
 Use Group: _____
 Date of Application: _____
 Applicant Signature: _____

Compliance Path (check one):

Prescriptive Package (Limited to 1- or 2-family wood frame buildings heated with fossil fuels only)

Package (A through KK): _____ Heating Degree Days Base 65 (HDD₆₅) from Table J5.2.1a: _____

(For items d. through i., fill in all values that apply from Table J5.2.1b:)

- | | |
|------------------------------------|----------------------------|
| a. Gross Wall Area _____ sq.ft. | f. Wall R-value R- _____ |
| b. Glazing R.O. Area _____ sq.ft. | g. Floor R-value R- _____ |
| c. Glazing % (100 x b + a) _____ % | h. Basement wall R- _____ |
| d. Glazing U-value U- _____ | i. Slab Perimeter R- _____ |
| e. Ceiling R-value R- _____ | j. Heating AFUE _____ |

Component Performance: "Manual Trade-Off" (Limited to wood or metal framed buildings only)

Climate Zone (from Figure J6.2.2) Zone 12 Zone 13 Zone 14

Attach Trade-Off Worksheet from Appendix J, [and HVAC Trade-Off Worksheet, if applicable]

MAScheck Software

Attach Compliance Report and Inspection Checklist printouts.

Systems Analysis OR Renewable Energy Sources

Attach Mass Registered Architect or Engineer Analysis

Official's Name: _____

Official's Signature: _____

Application Approved

Date of Approval: _____

Application Denied

Date of Denial: _____

Reason(s) for Denial:

TOWN OF NAHANT, MASSACHUSETTS

NOTICE

THE NAHANT FIRE DEPARTMENT REQUIREMENTS FOR: SMOKE DETECTOR PLACEMENT

780 CMR 3603.16 / EFFECTIVE FEBRUARY 28, 1997

GENERAL: ALL EXISTING RESIDENTIAL DWELLINGS* THAT TRANSFER OWNERSHIP SHALL BE REQUIRED TO HAVE APPROVED SMOKE DETECTORS INSTALLED. NEW CONSTRUCTION OF DWELLING UNITS OR ADDITIONS, ALTERATIONS AND REPAIRS THAT ADD OR CREATE ONE OR MORE SLEEPING ROOMS IN EXISTING DWELLINGS SHALL REQUIRE THE ENTIRE BUILDING TO BE EQUIPPED WITH APPROVED SMOKE DETECTORS.

1. EXISTING DWELLINGS: SMOKE DETECTORS SHALL BE INSTALLED IN ALL BEDROOMS, THE IMMEDIATE VICINITY OF ALL BEDROOMS, AND ON EACH LEVEL OF A DWELLING UNIT. Crawl spaces or uninhabitable attics are exempt. Installation shall be on the ceiling in close proximity to the stairwell on each level of a dwelling. Installed on the ceiling in the basement or cellar in close proximity to the stairwell. Installed on the ceiling in the immediate vicinity of any sleeping area (hallways etc.) and installed on the ceiling in each bedroom or sleeping area. Battery or A/C powered, single or interconnected smoke detectors may be used to fulfill this requirement.
2. NEW CONSTRUCTION or ADDITIONS, ALTERATIONS and REPAIRS that add or create sleeping rooms in existing structures shall require the entire building to have smoke detectors installed in areas as outlined above for existing dwellings. Heat detectors for garages, utility rooms or other areas maybe further required by the fire department. All detectors shall be permanently and directly wired to a primary AC power supply taken from a branch circuit supplying a habitable area and ahead of any switches. All detectors shall be interconnected, have a battery backup power supply, be approved and listed for the purposes for which utilized.
- 3.* MULTIPLE DWELLING UNITS that contain common areas such as basements, hallways and/or interior stairways that serve dwelling units shall be provided with multiple station smoke detectors (interconnected) in all common areas on each level outside the dwelling unit doorways and shall be clearly audible in all bedrooms with doors closed. Separate smoke detectors shall be installed in each dwelling unit.

IF YOU HAVE ANY QUESTIONS REGARDING THESE REQUIREMENTS, REQUIRE AN EVALUATION OF NEED OR AN INSPECTION FOR CERTIFICATION (\$10 per unit) PLEASE CONTACT:

NAHANT FIRE DEPARTMENT
67 FLASH ROAD
NAHANT, MASSACHUSETTS 01908
781-581-1234